

(Certification of Completion/County Permit)

State Water Control Board  
P. O. Box 11143  
2111 North Hamilton St.  
Richmond, Va. 23230

County/City

Stafford

County/City Stamp

Virginia Plane Coordinates

N

E

Latitude & Longitude

N

W

Topo. Map No. 183D

Elevation \_\_\_\_\_ ft.

Formation \_\_\_\_\_

Lithology \_\_\_\_\_

River Basin \_\_\_\_\_

Province \_\_\_\_\_

Type Logs D. L.

Cuttings N. A.

Water Analysis \_\_\_\_\_

Aquifer Test \_\_\_\_\_

Owner Nancy & Roger C. Depelleau, Jr.

Well Designation or Number \_\_\_\_\_

Address

464 Holly Corner  
Fredericksburg, Va. 22406

Phone

752-7044  
752-2639

Drilling Contractor John L. Danielson, Jr., Inc.

Address

4616 Hood Drive

Address

Fredericksburg, Virginia 22408

Phone

(703) 898-6025

WELL LOCATION:

(feet/miles

direction) of intersection of \_\_\_\_\_

and \_\_\_\_\_ feet/miles (direction) of \_\_\_\_\_

(If possible please include map showing location marked)

Water rose 3 ft. in 30 min. @ time of installation

24" I.D. casing holds 25.5 gal. of water per foot.

Date started

9/26/91

Date completed

9/26/91

Type rig Boring Rig

Approximate Drawdown

20 ft.

WELL DATA: New  Reworked \_\_\_\_\_ Deepened \_\_\_\_\_

Total depth

44 ft.

Depth to bedrock

On Rock

Hole size (Also include reamed zones)

• 39 inches from \_\_\_\_\_ to 20 ft.  
• 29 inches from 20 to 44 ft.  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

Casing size (I.D.) and material

• 24 inches from +1 to 44 ft.

Material concrete Concrete Casing

Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

Material \_\_\_\_\_

Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

Material \_\_\_\_\_

Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.

Screen size and mesh for each zone (where applicable)

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

• Mesh size \_\_\_\_\_ Type \_\_\_\_\_

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

• Mesh size \_\_\_\_\_ Type \_\_\_\_\_

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

• Mesh size \_\_\_\_\_ Type \_\_\_\_\_

• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.

• Mesh size \_\_\_\_\_ Type \_\_\_\_\_

Gravel pack

• From \_\_\_\_\_ to \_\_\_\_\_ ft.

• From \_\_\_\_\_ to \_\_\_\_\_ ft.

Grout

• From \_\_\_\_\_ to \_\_\_\_\_ ft. Type \_\_\_\_\_

• From \_\_\_\_\_ to \_\_\_\_\_ ft. Type \_\_\_\_\_

Sumit Backfill, Grouting &

SWCB Permit \_\_\_\_\_

County Permit \_\_\_\_\_

Certification of inspecting official:

This well does \_\_\_\_\_ does not \_\_\_\_\_

meet code/low requirements.

S. \_\_\_\_\_

Date \_\_\_\_\_

For Office Use

189-89-461 2/23/90 Man. Dept.  
3/2/90 Rev. Dept.

Tax Map I.D. No. 42-133-3

Subdivision Neat Estates

Section \_\_\_\_\_

Block \_\_\_\_\_

Lot #3

Class Well: I \_\_\_\_\_, IIA \_\_\_\_\_

IIA \_\_\_\_\_, IIB \_\_\_\_\_, IIC

IIIB \_\_\_\_\_, IIID \_\_\_\_\_, IIIE \_\_\_\_\_

2. WATER DATA • Water temperature \_\_\_\_\_ of

• Static water level (unpumped level measured) 18 ft.

• Stabilized measured pumping water level \_\_\_\_\_ ft.

• Stabilized yield 23 gpm after \_\_\_\_\_ hour

Natural Flow: Yes \_\_\_\_\_ No  Flow rate \_\_\_\_\_ gpm

Comment on quality \_\_\_\_\_

3. WATER ZONES: From 18 To 25

From \_\_\_\_\_ To \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

From \_\_\_\_\_ To \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

4. USE DATA:

Type of use: Drinking  Livestock Watering \_\_\_\_\_

Irrigation \_\_\_\_\_ Food processing \_\_\_\_\_ Household

Manufacturing \_\_\_\_\_ Fire safety \_\_\_\_\_ Cleaning \_\_\_\_\_

Recreation \_\_\_\_\_ Aesthetic \_\_\_\_\_ Cooling or heating \_\_\_\_\_

Injection \_\_\_\_\_ Other \_\_\_\_\_

• Type of facility: Domestic  Public water supply \_\_\_\_\_

Public institution \_\_\_\_\_ Farm \_\_\_\_\_ Industry \_\_\_\_\_

Commercial \_\_\_\_\_ Other \_\_\_\_\_

5. PUMP DATA: Type \_\_\_\_\_ Rated H.P. \_\_\_\_\_

• Intake depth \_\_\_\_\_ Capacity \_\_\_\_\_ at \_\_\_\_\_ head

6. WELL HEAD: Type well seal \_\_\_\_\_

Pressure tank \_\_\_\_\_ gal., Loc. \_\_\_\_\_

Sample tap \_\_\_\_\_ Measurement port \_\_\_\_\_

Well vent \_\_\_\_\_ Pressure relief valve \_\_\_\_\_

Gate valve \_\_\_\_\_ Check valve (when required) \_\_\_\_\_

Electrical disconnect switch on power supply \_\_\_\_\_

7. DISINFECTION: Well disinfected \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_

Date \_\_\_\_\_ Disinfectant used \_\_\_\_\_

Amount \_\_\_\_\_ Hours used \_\_\_\_\_

8. ABANDONMENT (where applicable) • yes \_\_\_\_\_ no \_\_\_\_\_

Casing pulled yes \_\_\_\_\_ no \_\_\_\_\_ not applicable \_\_\_\_\_

Plugging grout From \_\_\_\_\_ to \_\_\_\_\_

Pump installation \_\_\_\_\_



