

**COMMONWEALTH OF VIRGINIA  
WATER WELL COMPLETION REPORT**

• BWCM No. \_\_\_\_\_

(Certification of Completion/County Permit)

Blair Construction  
2432 Broadlawns Rd  
Stafford Va. 22554  
752-1410

Control Board  
11143  
100 North Hamilton St.  
Stafford, Va. 23230

County/City

Stafford

County/City Stamp

SWCB Permit \_\_\_\_\_  
County Permit \_\_\_\_\_  
Certification of inspecting official:  
This well does \_\_\_\_\_ does not  
meet code/low requirements.  
S. \_\_\_\_\_  
Date \_\_\_\_\_

For Office Use

Map # 189-87-378 1/22/87  
Tax Map I.D. No. 41-53  
Subdivision \_\_\_\_\_  
Section \_\_\_\_\_  
Block \_\_\_\_\_  
Lot \_\_\_\_\_  
Class Well: I \_\_\_\_\_, IIA \_\_\_\_\_  
IIB \_\_\_\_\_, IIIA \_\_\_\_\_, IIIB   
IIIC \_\_\_\_\_, IIID \_\_\_\_\_, IIIE \_\_\_\_\_

• Virginia Plane Coordinates  
N \_\_\_\_\_  
E \_\_\_\_\_  
Latitude & Longitude  
N \_\_\_\_\_  
W \_\_\_\_\_  
• Topo. Map No. 182C  
• Elevation \_\_\_\_\_ ft.  
• Formation \_\_\_\_\_  
• Lithology \_\_\_\_\_  
• River Basin \_\_\_\_\_  
• Province \_\_\_\_\_  
• Type Logs U. L.  
• Cuttings N. A.  
• Water Analysis \_\_\_\_\_  
• Aquifer Test \_\_\_\_\_

• Owner Lilybridge  
• Well Designation or Number \_\_\_\_\_  
Address P.O. Box 5231  
Fredericksburg, Va. 22401  
Phone \_\_\_\_\_  
• Drilling Contractor John L. Danielson, Jr., Inc.  
Address 4616 Hood Drive  
Fredericksburg, Virginia 22401  
Phone (703) 898-6025

WELL LOCATION: 1 (feet/miles) E direction of intersection of 627 & 624  
and 2/10 feet/miles S (direction) of # 624  
(If possible please include map showing location marked)  
Water rose 2 ft. in 30 min. @ time of installation  
24" I.D. casing holds 73.5 gal. of water per foot.  
Date started 9/7/88 • Date completed 9/7/88 Type rig Boring Rig

Approximate Drawdown 40 ft.

1. WELL DATA: New  Reworked \_\_\_\_\_ Deepened \_\_\_\_\_

• Total depth \_\_\_\_\_ ft.  
• Depth to bedrock \_\_\_\_\_ ft.  
• Hole size (Also include reamed zones)  
• 39 inches from 0 to 20 ft.  
• 27 inches from 20 to 66 ft.  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Casing size (I.D.) and material  
• 24 inches from 71 to 66 ft.  
Material concrete Concrete Casing  
Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
Material \_\_\_\_\_  
Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
Material \_\_\_\_\_  
Wt. per foot \_\_\_\_\_ or wall thickness \_\_\_\_\_ in.  
• Screen size and mesh for each zone (where applicable)  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Mesh size \_\_\_\_\_ Type \_\_\_\_\_  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Mesh size \_\_\_\_\_ Type \_\_\_\_\_  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Mesh size \_\_\_\_\_ Type \_\_\_\_\_  
• \_\_\_\_\_ inches from \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Mesh size \_\_\_\_\_ Type \_\_\_\_\_  
• Gravel pack  
• From \_\_\_\_\_ to \_\_\_\_\_ ft.  
• From \_\_\_\_\_ to \_\_\_\_\_ ft.  
• Grout  
• From \_\_\_\_\_ to \_\_\_\_\_ ft., Type \_\_\_\_\_  
• From \_\_\_\_\_ to \_\_\_\_\_ ft., Type \_\_\_\_\_

2. WATER DATA • Water temperature \_\_\_\_\_ of \_\_\_\_\_  
• Static water level (unpumped level measured) 20 ft.  
• Stabilized measured pumping water level \_\_\_\_\_ ft.  
• Stabilized yield 12 gpm after \_\_\_\_\_ hours of installation  
Natural Flow: Yes \_\_\_\_\_ No  flow rate \_\_\_\_\_ gpm  
Comment on quality \_\_\_\_\_  
3. WATER ZONES: From 20 To 30  
From \_\_\_\_\_ To \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
From \_\_\_\_\_ To \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
4. USE DATA:  
Type of use: Drinking  Livestock Watering   
Irrigation \_\_\_\_\_ Food processing \_\_\_\_\_ Household \_\_\_\_\_  
Manufacturing \_\_\_\_\_ Fire safety \_\_\_\_\_ Cleaning \_\_\_\_\_  
Recreation \_\_\_\_\_ Aesthetic \_\_\_\_\_ Cooling or heating \_\_\_\_\_  
Injection \_\_\_\_\_ Other \_\_\_\_\_  
• Type of facility: Domestic  Public water supply \_\_\_\_\_  
Public institution \_\_\_\_\_ Farm \_\_\_\_\_ Industry \_\_\_\_\_  
Commercial \_\_\_\_\_ Other \_\_\_\_\_  
5. PUMP DATA: Type \_\_\_\_\_ • Rated H.P. \_\_\_\_\_  
• Intake depth \_\_\_\_\_ • Capacity \_\_\_\_\_ at \_\_\_\_\_ head  
6. WELLHEAD: Type well seal \_\_\_\_\_  
Pressure tank \_\_\_\_\_ gal., Loc. \_\_\_\_\_  
Sample tap \_\_\_\_\_ Measurement port \_\_\_\_\_  
Well vent \_\_\_\_\_ Pressure relief valve \_\_\_\_\_  
Gate valve \_\_\_\_\_ Check valve (when required) \_\_\_\_\_  
Electrical disconnect switch on power supply \_\_\_\_\_  
7. DISINFECTION: Well disinfected \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_  
Date \_\_\_\_\_ Disinfectant used \_\_\_\_\_  
Amount \_\_\_\_\_ Hours used \_\_\_\_\_  
8. ABANDONMENT (where applicable) • yes \_\_\_\_\_ no \_\_\_\_\_  
Casing pulled yes \_\_\_\_\_ no \_\_\_\_\_ not applicable \_\_\_\_\_  
Plugging grout From \_\_\_\_\_ to \_\_\_\_\_ material \_\_\_\_\_  
Pump installation through Lilybridge

Gravel Backfill, Grouting &

